



Author index

Volume 74 (1994)

Attard, G.S. 74, 83
Baczynskyj, O. 74, 163
Blackaby, W.P. 74, 83
Bondar, O.P. 74, 93
Brodersen, R. 74, 43
Buffenbarger, S.L. 74, 163
Buxser, S.E. 74, 163
Cambria, A. 74, 25
Castelli, F. 74, 25
Chardigny, J.-M. 74, 175, 185
Cheng, K.H. 74, 49
Decker, D. 74, 163
Dietrich, U. 74, 17
Dong Doan, H. 74, 185
de Buyck, L. 74, 39
de Rijk, T. 74, 39
de Wit, D. 74, 39
Epps, D.E. 74, 163
Eynard, T. 74, 175
Ferretti, A. 74, 65
Flanagan, V.P. 74, 65
Gericke, A. 74, 205
Gerst, N. 74, 1
Grandgirard, A. 74, 185
Guido, D.M. 74, 163
Hedström, G. 74, 195
Hühnerfuss, H. 74, 205
Kézdy, F.J. 74, 163
Klose, G. 74, 17
Knechtel, T.J. 74, 163
Leach, A.R. 74, 83
Lutzke, B.S. 74, 163
Mathews, W.R. 74, 163
Mattjus, P. 74, 195
McCall, J.M. 74, 163
Melnykovych, G. 74, 93
Noël, J.-P. 74, 175
Oliver, L.K. 74, 163
Paltauf, F. 74, 101
Parish, E.J. 74, 1
Pinkerton, F.D. 74, 1
Poullain, D. 74, 175
Raudino, A. 74, 25
Rowe, E.S. 74, 93
Sarpietro, M.G. 74, 25
Schroepfer, Jr., G.J. 74, 1
Sébédio, J.-L. 74, 175, 185
Siddiqui, A.U. 74, 1
Slotte, J.P. 74, 195
Sommerharju, P. 74, 49
Stallmach, F. 74, 17
Sugar, I. 74, 49
Tassignon, P. 74, 39
Vatèle, J.-M. 74, 175, 185
Vorum, H. 74, 43
Wilson, W.K. 74, 1
Zeidler, J. 74, 73
Zimmermann, W. 74, 73



Subject index

Volume 74 (1994)

Acyl chain length; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Lipid interaction; Phase separation; Fluorescence microscopy 74, 195

Adsol; Anticoagulant; Tirilazad mesylate (U-74,006f); red blood cell; Osmotic fragility 74, 163

Absorption; Fatty acid; Freundlich's adsorption isotherm; Aqueous solution; Solubility of fatty acids; Liposomes 74, 43

Amides; Prostaglandin F; Metabolite; PGF-M; Electron ionization; Mass spectrometry 74, 65

Anticoagulant; Adsol; Tirilazad mesylate (U-74,006f); red blood cell; Osmotic fragility 74, 163

Aqueous solution; Fatty acid; Adsorption; Freundlich's adsorption isotherm; Solubility of fatty acids; Liposomes 74, 43

[1-¹⁴C]-labelled fatty acids; *Trans* linolenic acids synthesis; Wittig reaction 74, 175

Catalysis; Methyl 9-oxo-10,12-E,E-octadecadienoate; Cyclohexyl 9-oxo-10,12-E,E-octadecadienoate 74, 39

Catalyzed acetylenic coupling; Wittig reaction; β,γ -Unsaturated aldehydes; *n*-3 *trans* Polyunsaturated fatty acids 74, 185

Chiral sulphur compound; Phospholipid synthesis; Cyclic platelet activating factor analogue; Cyclic thioether 74, 73

Cholesterol; Monolayer membranes; Cholesterol oxidase; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy 74, 195

Cholesterol; Vitamin D₃; Thermotropic properties; Lipid chains 74, 25

Cholesterol oxidase; Monolayer membranes; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy 74, 195

Conformational analysis; 15-Ketosterols; Liquid-ammonia reduction; NMR 74, 1

Cubic phases; Glycolipids; Phase behaviour; Liquid crystals 74, 83

Cyclic platelet activating factor analogue; Phospholipid synthesis; Cyclic thioether; Chiral sulphur compound 74, 73

Cyclic thioether; Phospholipid synthesis; Cyclic platelet activating factor analogue; Chiral sulphur compound 74, 73

Cyclohexyl 9-oxo-10,12-E,E-octadecadienoate; Methyl 9-oxo-10,12-E,E-octadecadienoate; Catalysis 74, 39

Cytostatic ether lipids; Plasmalogens; 1-*O*-alkyl-2-acylglycerophospholipids; 1,2-di-*O*-alkylglycerophospholipids; Phospholipases; Phospholipid transfer 74, 101

Dimyristoylphosphatidylcholine-liposomes; Farnesol; Phase transition 74, 93

Electron ionization; Prostaglandin F; Metabolite; PGF-M; Amides; Mass spectrometry 74, 65

Enzymatic process; IR reflection absorption spectroscopy; Monolayers; Phospholipids; Phospholipase A₂ 74, 205

Farnesol; Dimyristoylphosphatidylcholine-liposomes; Phase transition 74, 93

Fatty acid; Adsorption; Freundlich's adsorption isotherm; Aqueous solution; Solubility of fatty acids; Liposomes 74, 43

Fluorescence microscopy; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation 74, 195

Freundlich's adsorption isotherm; Fatty acid; Adsorption; Aqueous solution; Solubility of fatty acids; Liposomes 74, 43

Glycolipids; Phase behaviour; Liquid crystals; Cubic phases 74, 83

Hydration force; Osmotic stress technique; X-ray diffraction; Mixed lipid bilayers; POPC; Phosphonic acid dibutyl ester 74, 17

Internal motions of acyl chains; Kinetic models; Metastable state 74, 49

IR reflection absorption spectroscopy; Monolayers; Phospholipids; Phospholipase A₂; Enzymatic process 74, 205

15-Ketosterols; Liquid-ammonia reduction; NMR; Conformational analysis 74, 1

Kinetic models; Metastable state; Internal motions of acyl chains 74, 49

Lipid chains; Cholesterol; Vitamin D₃; Thermotropic properties 74, 25

Lipid interaction; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Phase separation; Fluorescence microscopy 74, 195

Liposomes; Fatty acid; Adsorption; Freundlich's adsorption isotherm; Aqueous solution; Solubility of fatty acids 74, 43

Liquid crystals; Glycolipids; Phase behaviour; Cubic phases 74, 83

Liquid-ammonia reduction; 15-Ketosterols; NMR; Conformational analysis 74, 1

Mass spectrometry; Prostaglandin F; Metabolite; PGF-M; Amides; Electron ionization 74, 65

Metabolite; Prostaglandin F; PGF-M; Amides; Electron ionization; Mass spectrometry 74, 65

Metastable state; Kinetic models; Internal motions of acyl chains 74, 49

Methyl 9-oxo-10,12-E,E-octadecadienoate; Cyclohexyl 9-oxo-10,12-E,E-octadecadienoate; Catalysis 74, 39

Mixed lipid bilayers; Hydration force; Osmotic stress technique; X-ray diffraction; POPC; Phosphonic acid dibutyl ester 74, 17

Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy 74, 195

Monolayers; IR reflection absorption spectroscopy; Phospholipids; Phospholipase A₂; Enzymatic process 74, 205

NMR; 15-Ketosterols; Liquid-ammonia reduction; Conformational analysis 74, 1

1-O-alkyl-2-acylglycerophospholipids; Plasmalogens; 1,2-di-O-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipases; Phospholipid transfer 74, 101

1,2-di-O-alkylglycerophospholipids; Plasmalogens; 1-O-alkyl-2-acylglycerophospholipids; Cytostatic ether lipids; Phospholipases; Phospholipid transfer 74, 101

Osmotic fragility; Adsol; Anticoagulant; Tirilazad mesylate (U-74,006f); red blood cell 74, 163

Osmotic stress technique; Hydration force; X-ray diffraction; Mixed lipid bilayers; POPC; Phosphonic acid dibutyl ester 74, 17

PGF-M; Prostaglandin F; Metabolite; Amides; Electron ionization; Mass spectrometry 74, 65

Phase behaviour; Glycolipids; Liquid crystals; Cubic phases 74, 83

Phase separation; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Fluorescence microscopy 74, 195

Phase transition; Farnesol; Dimyristoylphosphatidylcholine-liposomes 74, 93

Phosphatidylcholine; Monolayer membranes; Cholesterol oxidase; Cholesterol; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy 74, 195

Phospholipase A₂; IR reflection absorption spectroscopy; Monolayers; Phospholipids; Enzymatic process 74, 205

Phospholipases; Plasmalogens; 1-O-alkyl-2-acylglycerophospholipids; 1,2-di-O-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipid transfer 74, 101

Phospholipid synthesis; Cyclic platelet activating factor analogue; Cyclic thioether; Chiral sulphur compound 74, 73

Phospholipid transfer; Plasmalogens; 1-O-alkyl-2-acylglycerophospholipids; 1,2-di-O-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipases 74, 101

Phospholipids; IR reflection absorption spectroscopy; Monolayers; Phospholipase A₂; Enzymatic process 74, 205

Phosphonic acid dibutyl ester; Hydration force; Osmotic stress technique; X-ray diffraction; Mixed lipid bilayers; POPC 74, 17

Plasmalogens; 1-O-alkyl-2-acylglycerophospholipids; 1,2-di-O-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipases; Phospholipid transfer 74, 101

n-3 trans Polyunsaturated fatty acids; Wittig reaction; Catalyzed acetylenic coupling; β,γ -Unsaturated aldehydes 74, 185

POPC; Hydration force; Osmotic stress technique; X-ray diffraction; Mixed lipid bilayers; Phosphonic acid dibutyl ester 74, 17

Prostaglandin F; Metabolite; PGF-M; Amides; Electron ionization; Mass spectrometry 74, 65

Red blood cell; Adsol; Anticoagulant; Tirilazad mesylate (U-74,006f); Osmotic fragility 74, 163

Solubility of fatty acids; Fatty acid; Adsorption; Freundlich's adsorption isotherm; Aqueous solution; Liposomes 74, 43

Thermotropic properties; Cholesterol; Vitamin D₃; Lipid chains 74, 25

Tirilazad mesylate (U-74,006f); Adsol; Anticoagulant; red blood cell; Osmotic fragility 74, 163

Trans linolenic acids synthesis; [1-¹⁴C]-labelled fatty acids; Wittig reaction 74, 175

β,γ-Uncsaturated aldehydes; Wittig reaction; Catalyzed acetylenic coupling; n-3 *trans* Polyunsaturated fatty acids 74, 185

Vitamin D₃; Cholesterol; Thermotropic properties; Lipid chains 74, 25

Wittig reaction; *Trans* linolenic acids synthesis; [1-¹⁴C]-labelled fatty acids 74, 175

Wittig reaction; Catalyzed acetylenic coupling; β,γ-Uncsaturated aldehydes; n-3 *trans* Polyunsaturated fatty acids 74, 185

X-ray diffraction; Hydration force; Osmotic stress technique; Mixed lipid bilayers; POPC; Phosphonic acid dibutyl ester 74, 17

